
# HP Color LaserJet Managed MFP E785 Series



### Powerful performance so work flows faster





Unleash peak productivity



HP WOLF SECURITY

Always on guard with HP Wolf Security<sup>1</sup>



Customizable solutions built to last

# Unleash peak productivity

Now, you can accelerate your print and scan workflows to maximize business productivity, with the HP Color LaserJet Managed MFP E785 series.

The result: more time for your core business and less time waiting for prints and scans.





### POWERED BY SYSTEM ON A CHIP

With 7x more compute power<sup>2</sup> than previous models, the HP Color LaserJet Managed MFP E785 series is a powerhouse of speed with all print, copy, scan, security, and other display subsystems integrated into a single chip.



### FAST SLEEP TO FIRST COPY OUTPUT TIME (FCOT)

Compared to previous generation printers, the HP Color LaserJet Managed MFP E785 series features accelerated FCOT time so your printer wakes up quickly from sleep mode as soon as you use the touchscreen to deliver your prints or copies faster.



### UP TO 28 PPM PRINTING SPEED3

Meet tight deadlines, save time on everyday printing tasks, and be ready for unexpected multi-print requests. HP delivers the speed needed for maximum productivity.



### PROTECT YOUR INVESTMENT AND MAINTAIN PRODUCTIVITY

Stay productive and ensure you always have the latest optimized features across your fleet for years to come with upgradeable HP FutureSmart firmware. Get consistent, intuitive user controls across devices, seamlessly incorporate paper and digital content to improve workflows, and easily install updates on your schedule.



### 8-IN COLOR TOUCHSCREEN DISPLAY

With the 8-in color touchscreen display, easily enable workflows across your fleet with a consistent experience and intuitive tablet-like icons that IT admins and end-users can recognize—so finishing tasks feels familiar fleet-wide.



# Always on guard with HP Wolf Security<sup>1</sup>

HP Managed MFPs are the world's most secure printing devices<sup>4</sup> in the industry. They're always on the lookout, continually stopping threats while adapting to new ones. Only HP printers can automatically self-heal from attacks, so IT doesn't need to intervene. For peace of mind, HP Wolf Enterprise Security is included with every HP Color LaserJet Managed MFP E785 series so you can feel protected whether you are collaborating, on-premise, or via the cloud.

### **ALWAYS-ON PROTECTION**

- HP Sure Start checks the BIOS/boot code at start up to validate the integrity of the BIOS code
- Memory Shield <sup>™</sup> active system monitoring with expanded memory protection from malware injection attacks
- HP Connection Inspector inspects outgoing network connections to stop suspicious requests like malware
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP
- Receive instant notification of security issues via leading Security Information and Event Management (SIEM) tools like Splunk, ArcSight, McAfee, and SIEMonster

### **ALWAYS-ON DETECTION**

- Protects with zero-day detection of threats
- Prevents malware attacks by ensuring that the execution flow on the device cannot be altered
- Monitors the execution flow for potential zero-day attacks with Control Flow Integrity
- Self-heals and reboots to a safe state of operation when malware is detected
- Detects attacks in runtime memory via an integrated chip that provides hardware-level protection

### **ENTERPRISE-WIDE SECURITY**

HP Security Manager<sup>16</sup> offers an effective, policy-based approach to help secure HP printing and imaging devices. Easily set security configuration policies and automatically validate settings for every HP printer and MFP in your fleet.



# Customizable solutions built to last

Tailored on-device and cloud-connected solutions to help optimize your workflows with the flexibility to support your workforce today and evolve to meet your demands for tomorrow.

#### DEPLOY THIRD-PARTY SOLUTIONS

Give your team what they need to succeed by easily deploying and integrating HP and third-party solutions with the HP Open Extensibility Platform. Support card readers and the ability for users to walk up, swipe badge, and use personalized settings to print from their own queue.

### CUSTOMIZE YOUR EXPERIENCE WITH WORKPATH APPS<sup>18</sup>

Make your day-to-day more productive using customized experiences with cloud-connected HP Workpath apps<sup>18</sup> that let you access personalized content, integrate paper and digital workflows.

### MATCH YOUR COLOR OUTPUT NEEDS7

Make color management simple and seamless with our HP Custom Color Manager. Match color output of any document/device combination by simply pulling color profiles from the cloud. Leverage high-quality color profiles without the hassle of expensive color-matching systems.

### CUSTOM DESIGNS TO SUIT YOUR SPACE

Unleash your creativity and match any office decor with modern designs and the option of five customizable color panels.<sup>6</sup>

## Designed for impact

Today's workplace is more open and fluid, helping foster collaboration and communication among team members. Your HP printer can play a key role.

Make a visual statement at your workplace with six distinct, easy-to-install color panels<sup>6</sup> to suit your office décor, represent your brand and energize your space.



# Better printing for a better planet


Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel, and Energy Star standards, supporting HP's goal for carbon neutrality and a fully sustainable economy.

- SUPPORT ZERO DEFORESTATION<sup>9</sup> The fiber-based packaging for this product, including the outer box and interior fiber-based cushions, is 100% sustainably sourced, meaning it's made from recycled or certified content.
- DESIGNED TO ELIMINATE WASTE<sup>10</sup> Our devices are made with the planet in mind. The energy-efficient printing and toner cartridges have more than 59%<sup>11</sup> recycled cartridge content<sup>12</sup> and 90% recycled packaging content. Printing that puts the planet first.

- BREAKTHROUGH TONER TECHNOLOGY With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.<sup>13</sup>
- REDUCE PAPER WASTE By using HP Pull/Pin printing solutions and duplex print as the default<sup>14</sup> setting our devices conserve paper wherever possible.
- EXTEND PRODUCT LIFE Our durable modular designs and HP SDS predictive diagnostics helps to keep our products up and running longer.
- EASY RECYCLING WITH HP PLANET PARTNERS<sup>15</sup> Our sustainable efforts don't stop when you stop printing.
   With HP Planet Partners, we provide a convenient way to recycle HP IT hardware and supplies after use.

# Get to know the HP Color LaserJet Managed MFP E785 series

# HP Color LaserJet Managed MFP E785dn shown



# Series at a glance





Model	MFP E785dn 23 ppm³	MFP E785dn 28 ppm³	
Product number	5QJ83A	5QJ83A (Base) + 8EP54AAE (Speed license)	
Functions	Print, copy, and scan (fax a	Print, copy, and scan (fax and wireless optional)	
Print speed (A4 and letter, black, and color) <sup>3</sup>	Up to 23 ppm	Up to 28 ppm	
Scan speed (A4 and letter, black, and color) <sup>5</sup>	60 ppm/120 ipm, simplex/d	60 ppm/120 ipm, simplex/duplex	
ADF capacity	100 sheets	100 sheets	
Input capacity	Standard: 1,140 sheets; ma	Standard: 1,140 sheets; maximum: 2,180 sheets	

## E785dn technical specifications

Functions	Print, copy, scan, fax (optional)			
Print speed <sup>2,3</sup>	Letter back	Up to 23 ppm	Up to 28 ppm (with 8EP54AAE)	
Trancoposa	Letter color	Up to 23 ppm	Up to 28 ppm (with 8EP54AAE)	
	A4 black	Up to 23 ppm	Up to 28 ppm (with 8EP54AAE)	
	A4 color	Up to 23 ppm	Up to 28 ppm (with 8EP54AAE)	
	First page out letter black	As fast as 10.7 sec	As fast as 9.6 sec (with 8EP54AAE)	
	First page out letter color	As fast as 13.0 sec	As fast as 11.6 sec (with 8EP54AAE)	
	First page out A4 black	As fast as 10.7 sec	As fast as 9.6 sec (with 8EP54AAE)	
Print resolution	First page out A4 color As fast as 13.0 sec As fast as 13.0 sec As fast as 11.6 sec (with 8EP54AAE) Black (best): up to 1200 x 1200 dpi reduced speed; black (normal): up to 600 x 600 dpi; black (fine lines): up to 1200 x 1200 dpi; color (best): up to 1200 x 1200 dpi reduced speed; color			
S	(normal): up to 600 x 600 dpi; color (fine lines): up to 1200 x 1200 dp			
Print technology	Laser; optical: normal (600 x 600 4 bit); best (1200 x 1200 1 bit)			
Print cartridges number	4(1 each black, cyan, magenta, yellow)			
Standard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, F		uon	
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB			
Color scanning		Yes		
Scan speed Normal <sup>6</sup>	Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color) letter; up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color) A4; duplex: up to 120 ipm (b&w), up to 120 ipm (color) letter; up to 120 ipm (b&w), up to 120 ipm (color) A4			
Scan type/technology	ADF; flatbed/Contact Image Sensor (CIS)			
Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi			
Scan file format	PDF, high-compression PDF, PDF/A, JPEG, TIFF, MTIFF, XPS			
Scan input modes	Front panel applications: copy; fax; scan to email; scan to network folder; scan to USB; scan to job storage; Open Extensibility Platform (OXP), HP Workpath applications			
Scan size	ADF maximum: 297 x 420 mm; 11.7 x 17 in; ADF minimum: 105 x 127 mm; 4.1 x 5 in; flatbed: 297 x 432 mm; 11.69 x 17 in			
Duplex ADF scanning	Yes (Single Pass Dual Scan)			
ADF capacity	Standard, 100 sheets			
Twain version	Version 2.4			
Bit depth/grayscale levels	24-bit/256			
Digital sending standard features	automatically detect color/monochrome; high-compre	ession PDF; image adjustments (darkness, contrast, backg	AN fax; scan to internet fax; local address book; SMTP over SSL; round cleanup, sharpness); optimize text/picture (text, mixed, printed nage preview; blank page suppression; automatically straighten	
Copy speed	Letter black	Up to 23 cpm	Up to 28 cpm (with 8EP54AAE)	
	Letter color	Up to 23 cpm	Up to 28 cpm (with 8EP54AAE)	
	A4 black	Up to 23 cpm	Up to 28 cpm (with 8EP54AAE)	
	A4 color	Up to 23 cpm	Up to 28 cpm (with 8EP54AAE)	
	Letter black duplex	Up to 16 cpm	Up to 21 cpm (with 8EP54AAE)	
	Letter color duplex	Up to 16 cpm	Up to 21 cpm (with 8EP54AAE)	
	A4 black duplex	Up to 16 cpm	Up to 21 cpm (with 8EP54AAE)	
	A4 color duplex	Up to 16 cpm	Up to 21 cpm (with 8EP54AAE)	
	First copy out letter black	As fast as 7.3 sec	As fast as 6.0 sec (with 8EP54AAE)	
	First copy out letter color	As fast as 9.5 sec	As fast as 8.0 sec (with 8EP54AAE)	
	First copy out A4 black	As fast as 7.3 sec	As fast as 6.0 sec (with 8EP54AAE)	
	First copy out A4 color	As fast as 9.5 sec	As fast as 8.0 sec (with 8EP54AAE)	
Copy resolution	Black (text and graphics): up to 600 x 600 dpi; color (tex		7 to race as 5.5 cos (mar 52.1 o 1/3 ta)	
Maximum number of copies	Up to 9999 copies			
Copier resize				
Copier settings	25 to 400%  Auto-fit; booklet; collation; content orientation; edge erase; image adjustment; job build; N or Z-ordering; N-up; optimize; 2-sided copy; watermark; reduce/enlarge; scan mode (book, 2-sided ID); stamps; image overlay, image shift; image preview; paper selection; blank page suppression; scan to job storage			
Fax speed	Up to: 33.6 kbps/letter: 3 sec per page			
Fax resolution	Black (best): up to 300 x 300 dpi (400 x 400 dpi for received faxes only); black (standard): 203 x 98 dpi			
	Fax memory, up to 500 pages; up to 500 pages; auto fax reduction supported: yes; auto-redialing: yes; fax delayed sending: no; distinctive ring detection supported: no; fax forwarding supported: yes; fax phone TAM interface supported: no; fax polling supported: yes (poll to receive only); fax telephone mode supported: no; junk barrier supported: yes; maximum speed dialing numbers: up to 1000 numbers (each with 210 destinations); PC interface supported: yes; remote retrieval capability supported: no; telephone handset supported: no			
Fax features	supported: yes; fax phone TAM interface supported: no	o; fax polling supported: yes (poll to receive only); fax teleph	none mode supported: no; junk barrier supported: yes; maximum	

Supplies information	PN	Product Description	Yield
оцирнов птотпасот	W9120MC	HP Laser Jet Black Managed Toner Cartridge	12,500
	W9121MC	HP LaserJet Cyan Managed Toner Cartridge	10,000
	W9122MC	HP LaserJet Yellow Managed Toner Cartridge	10,000
	W9123MC	HP LaserJet Magenta Managed Toner Cartridge	10,000
	W9130MC	HP LaserJet Black Managed Toner Cartridge	25,000
	W9131MC	HP LaserJet Cyan Managed Toner Cartridge	20,000
	W9132MC	HP LaserJet Yellow Managed Toner Cartridge	20,000
	W9133MC	HP LaserJet Magenta Managed Toner Cartridge	20,000
	W9059MC	HP LaserJet Black Managed Imaging Drum	120,000
	W9027MC	HP LaserJet CYM Managed Imaging Drum	100,000
Long life consumables	PN	Product Description	Yield
	5PN57A	HP LaserJet Black Developer Unit	400,000
	5PN60A	HP LaserJet Cyan Developer Unit	400,000
	5PN58A	HP LaserJet Yellow Developer Unit	400,000
	5PN59A	HP LaserJet Magenta Developer Unit	400,000
	5PN65A	HP LaserJet Transfer Roller Kit	200,000
	430H4A	HP LaserJet Image Transfer Kit	400,000
	5PN64A	HP LaserJet Image Transfer Blade Kit	200,000
	5PN66A	HP LaserJet Trays 2-x Roller Kit	300,000
	W9048MC	HP Managed LJ Toner Collection Unit	33,700
	Z7Y88A	HP LaserJet MP Roller - JTD	200,000
	5PN62A	HP LaserJet Fuser 220V Kit	400,000
	5PN50A	HP LaserJet Fuser 100V Kit	400,000
	5PN61A	HP Laser Jet Fuser 110V Kit	400,000
	5RC01A	HP LaserJet ADF Maintenance Kit	75,000
Network capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)		
Wireless capability	Optional, enabled with purchase of a hardware accessory		
Mobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print		
Memory	Standard: 6 GB; maximum: 6 GB		
Processor speed	Quad core (1.6GHz), dual core (1.4GHz)/hard disk: standard, 32 GB eMMC; optional, HP Laser Jet 500 GB hard disk drive; AES 256 hardware encryption; secure erase capabilities (secure file erase-temporary job files, secure erase-job data, secure ATA erase-disk)		
Duty cycle (monthly)	Letter	Up to 60,000 pages	Up to 80,000 pages (with 8EP54AAE)
	A4	Up to 60,000 pages	Up to 80,000 pages (with 8EP54AAE)
Recommended monthly page volume	Up to 16,000		

### E785dn technical specifications

Paper handling	Input capacities: up to 1140 sheets (Tray 1: up to 100 sheets; Tray 2: up to 520 sheets; Tray 3: up to 520 sheets) standard; up to 10 envelopes; input capacities, max; up to 2180 sheets (Tray1: up to 100 sheets; Tray 2; 3, 4 & 5: up to 520 sheets) output capacities; up to 500 sheets standard; up to 100 sheets (Transparencies); duplex options: automatic; envelope feeder: no; standard paper Trays: 3	
Media types supported	Plain, HP EcoEFICIENT, HP matte 90g, light 60-74g, bond, recycled, HP matte 105g, HP matte 120g, HP soft gloss 120g, HP glossy 120g, mid-weight 96-110g, heavy 111-130g, HP matte 150g, HP glossy 150g, extra heavy 131-175g, XHvyGlossy 131-175g, HP matte 200g, card stock 176-220g, color transparency, labels, letterhead, envelope, preprinted, pre-punched, colored	
Media weight supported	Tray 1: 16 to 47 lb bond; Tray 2, 3: 16 to 58.5 lb bond; Tray 1: 60 to 176 g/m²; Tray 2, 3: 60 to 220 g/m²	
Media sizes supported	Tray 1: letter, letter R, legal, executive, statement, oficio 8.5 x 13, 11 x 17, 4 x 6, 5 x 7, 5 x 8.10 x 15, 8K, 16K, envelope #9, envelope #10, envelope monarch; Tray 2: letter, letter R, legal, executive, statement, oficio, 4 x 6, 5 x 7, 5 x 8, 16K, Tray 3: letter, letter R, legal, executive, statement, oficio, 11 x 17, 8K, 16K Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), B6 (JIS), B6 (JIS), B5 (JIS), oficio, 8K, 16K, postcard, postcard (JIS), envelope B5, envelope C6, envelope DL; Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), oficio, 16K; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), oficio, 8K, 16K	
Media sizes custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.5 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.5 x 8.27 to 11.69 x 17 in Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.1 x 210 mm to 297 x 432 mm	
What's in the box	5QJ83A in box materials, guide install, flyer regulatory, power cords, label, drum.	
Replacement cartridges <sup>1</sup>	HP Black Managed LJ Toner Cartridge (ISO Yield 12,500) W9120MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 10,000) W9121MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 10,000) W9122MC, HP Magenta Managed Laser Jet Toner Cartridge (ISO Yield 10,000) W9123MC, HP Black Managed LJ Toner Cartridge (ISO Yield 25,000) W9130MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 20,000) W9131MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9133MC	
Product dimensions	Wxdxh: 566 x 646 x 848 mm; 22.3 x 25.4 x 33.4 in; maximum: 1369 x 1196 x 1171 mm; 53.9 x 47.1 x 46.1 in	
Product weight	77.8 kg; 171.5 lb	
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to <a href="https://www.hp.com/support">www.hp.com/support</a> to learn about HP award winning service and support options in your region.	
Energy Star certified	Yes	
Ecolabels	Blue Angel; IT ECO Declaration; EPEAT* registered7	
Control panel	8-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; tilting (adjustable angle) display; speaker	
Software included	No software solutions are included in the box only on http://hp.com http://123.hp.com	
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey	
Compatible network operating systems	Windows server; Linux; Citrix; UNIX; Novell	
Minimum system requirements	PC: 2 GB available hard disk space, internet connection, or USB port, internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, internet connection, or USB port, internet browser. For additional OS hardware requirements see apple.com	
Power <sup>4,5</sup>	Power supply type: internal (built-in) power supply; power requirements: input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 100 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (not dual voltage, power supply varies by part number with # option code identifier); power consumption: 600 watts (23 ppm, printing), 700 watts (28 ppm, printing), 27.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)	
Acoustics	Acoustic power emissions: 6.58 Bel (A), printing color simplex A4 at 23 ppm; 6.70 Bel (A), printing color simplex A4 at 28 ppm; acoustic pressure emissions (active, printing color simplex A4 at 23 ppm; 53 dB (A), printing color simplex A4 at 28 ppm; acoustic pressure emissions (active scan): 53 dB (A), ADF scan A4 at 60 ipm	
Operating environment	Operating temperature range: 15 to 30°C 59 to 86°F; recommended operating temperature: 15 to 30°C 59 to 86°F; storage temperature range: 40 to 40°C 14 to 104°F; operating humidity range: 20 to 80% RH; recommended humidity operating range: 20 to 80% RH	

### Technical specifications footnotes

- 1. Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies.">http://www.hp.com/go/learnaboutsupplies.</a>
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- $3. \qquad \text{Measured using ISO/IEC 17629.} For more information see \\ \underline{\text{http://www.hp.com/go/printerclaims}}. \\ \text{Exact speed varies depending on the system configuration, software application, driver, and document complexity.} \\$
- 4. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel
- 5. Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- 6. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- 7. For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)

### E785dn accessories

Accessory Description	Accessory SKU#
HP Laser Jet Inner Finisher 2/3 Hole Punch	155P7A
HP Laser Jet Inner Finisher 2/4 Hole Punch	155P8A
HP Laser Jet Inner Finisher Swedish Hole Punch	155P9A
HP Color Laser Jet Workgroup Lunar Gray Color Panel	190A0A
HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel	190A6A
HP Laser Jet Workgroup Stand Lunar Gray Color Panel	190A9A
HP Color Laser Jet Workgroup Comet Red Color Panel	190B0A
HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel	190B6A
HP Laser Jet Workgroup Stand Comet Red Color Panel	190B9A
HP Color Laser Jet Workgroup Cosmic Green Color Panel	190C0A
HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel	190C6A
HP Laser Jet Workgroup Stand Cosmic Green Color Panel	190C9A
HP Color LaserJet Workgroup Constellation Yellow Color Panel	190D0A
HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel	190D6A
HP Laser Jet Workgroup Stand Constellation Yellow Color Panel	190D9A
HP Color LaserJet Workgroup Aurora Purple Color Panel	190F0A
HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel	190F6A
HP LaserJet Workgroup Stand Aurora Purple Color Panel	190F9A
HP Removable Hard Drive Enclosure	2NR12A
HP Accessibility Kit	2TD64A
HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A
HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A
HP Printing Voice Assistant	478C2A
HPLegic Secure USB Reader	4QL32A
Internal USB Expansion Kit	4XN67A
HPMFP 810 Analog Dual Fax	5QK14A
HP Laser Jet 2x520 sheet Workgroup Paper Tray/Stand	6GW46A
HPLaserJet Inner Finisher	6GW49A
HP Laser Jet Workgroup Job Separator	6GW52A
HP Laser Jet Workgroup Stand	6GW54A
HP 500GB CCC, FIPS, TAA Hard Disk Drive	6HN31A
HP MFP 811 Analog Dual Fax	7ZA07A
HP MFP 800 Analog Single Fax	7ZA08A
HP MFP 801 Analog Single Fax	7ZA09A
HP Jetdirect LAN Accessory	8FP31A
HP 500GB CCC, FIPS Hard Disk Drive	9EQ11A
HP Foreign Interface Harness	B5L31A
HP SmartCard NIPRNet Solution for US Government	CC543B
HP SmartCard SIPRNet Solution for US Government	F8B30A
HP USB Universal Card Reader	X3D03A
HP Laser Jet Inner/Booklet Staples	Y1G13A
HP Laser Jet Paper Tray Heaters Accessory	Y1G22A
HP Laser Jet Second Exit Accessory	YIG23A
HP HIP2 Keystroke Reader  HP SIM for HID (Class for HIP2 Deader	Y7C05A
HP SIM for HID iClass for HIP2 Reader	Y7C07A

### Configuration

# HP Color LaserJet Managed MFP E785dn series

#### Select only one finisher accessory19



- Up to 125 sheets
- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 220 gsm (16 to 58 lb)



#### Inner Finisher (6GW49A)

Top tray:

- Up to 50 sheets (stack)
- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 220 gsm (16 to 58 lb)Main tray:
- Up to 500 sheets (sort/stack/staple/punch)
- Media size up to A3 (11 x 17 in)
- Media weight: 60 to 220 gsm (16 to 58 lb)

#### Select input accessory20



#### Stand (6GW54A)



### 2x520-sheet Paper Tray/Stand (6GW46A)

- Tray 1: up to 520 sheets
- Tray 2: up to 520 sheets
- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 220 gsm (16 to 58 lb)

### Standard on dn models:

#### 100-sheet ADF

- Single pass, 2-sided scanning
- Scans up to 60 ppm, simplex and 120 ipm, duplex
- Media size: up to A3 (11 x 17 in)
- Media weight: 45 to 199 gsm (12 to 53 lb)

#### 100-sheet multipurpose tray 1

- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 176 gsm (16 to 47 lb)

#### 520-sheet tray 2

- Media size: up to B4 (legal)
- Media weight: 60 to 220 gsm (16 to 58 lb)

#### 520-sheet tray 3

- Media size: up to A3 (11 x 17 in)
- Media weight: 60 to 220 gsm (16 to 58 lb)



#### Hole punch

For Inner Finisher:155P7A (2/3), 155P8A (2/4),155P9A (Swedish)



### Tray heater (Y1G22A)

Helps reduce paper jams in high-humidity environments.

Optional; may choose one. If 2 x 520-sheet Paper Tray/Stand is selected, may select one additional tray heater.



#### Staples (Y1G13A)

- 5,000 staples per cartridge
- Required with selection of Inner Finisher (6GW49A)



### Second exit accessory (Y1G23A)

 Required with selection of finisher or job separator

## Paper handling accessories

# HP Color LaserJet Managed MFP E785 series



Stand (6GW54A)	2 x 520-sheet Paper Tray/Stand (6GW46A)	Inner Finisher (6GW49A)
Required:	Requirements vary by region; only one can be added at a time.	Requires selection of HP LaserJet Second Exit (Y1G23A)
Input capacity: N/A	Tray 1: up to 520 sheets Tray 2: up to 520 sheets	Top tray: up to 50 sheets Main tray: up to 500 sheets
		Staples up to 50 sheets

### Disclaimers and trademarks

### Legal Footnotes

- 1. HP Security is now HP Wolf Security. Security features vary by platform; please see the product data sheet for details.
- 2. DMIPS comparison based on main system processor core on predecessor comparison; Managed E876/E825/E778/E731/E774/E724 series vs. Managed E800/E700 series product platforms.
- 3. Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. E785 series models can print up to 28 ppm.
- 4. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit <a href="https://www.hp.com/go/PrintersThatProtect">www.hp.com/go/PrintersThatProtect</a> For more information, visit <a href="https://www.hp.com/go/PrintersCecurityClaims">http://www.hp.com/go/PrintersCecurityClaims</a>.
- 5. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: <a href="http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28\_Test\_Pages/">http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28\_Test\_Pages/</a>
- 6. Color panels are optional, and availability may vary. Color samples shown shows the HP LaserJet Managed E800 and E700 portfolio line up. Check with your HP Reseller for details
- 7. HP Custom Color Manager is available for HP Color LaserJet E785 series.
- 8. HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT\* registered where applicable. EPEAT registration varies by country. See <a href="http://www.epeat.net">http://www.epeat.net</a> for registration status by country.
- 9. 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced, certified, and recycled fibers.
- 10. 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed.
- 11. Recycled Content 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See <a href="https://www.hp.com/go/TonerRecycledContent">www.hp.com/go/TonerRecycledContent</a> for list. Hardware-based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as a percent of the total weight of plastic.
- 12. See <a href="https://www.hp.com/TonerRecycledContent">www.hp.com/TonerRecycledContent</a> for list of individual supply percentages for the Original HP Toner supply use of recycled content.
- 13. A printing system consists of HP printer, paper, and toner/ink supply. Blue Angel DE-UZ 219 emissions criteria or earlier versions of criteria applicable when printing system launched.
- 14. Dependent upon country setup specifications.
- 15. HP Planet Partners Program availability varies. For more information, visit <a href="https://www.hp.com/hprecycle">www.hp.com/hprecycle</a>
- 16. HP Security Manager must be purchased separately.
- 17. Hardware Integration Pocket Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- 18. Not all MFPs may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Not all apps may be available in all locations. Subscription may be required. Personalized content and integration functions are applicable to supported HP Workpath apps only.
- 19. Other optional accessories, such as hole punch accessories, are included in the Ordering information.
- 20. All MFP E785/E730 series models come standard with the following input trays: 100-sheet multipurpose tray that supports media sizes up to A3 (11 x 17 in), 520-sheet tray 2 that supports media sizes up to B4 (legal), and 520-sheet tray 3 that supports media sizes up to A3 (11 x 17 in). The MFP E785/E730 series may be configured with optional input and finisher accessories described in the tables below.

